

Receiving Report

Date: 12/15/26
 Supplier: Marner

Batch No: M123449
 Dart P/O: 18224

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection 14 12/16/29 N/A ☒
 Work Order 9-83 N/A ☒

Discrepancies

| Part Number | Description | Quantity Ordered | Quantity Received | Quantity Returned | Quantity Short | Comments |
|-------------|-------------|------------------|-------------------|-------------------|----------------|----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Initials of receiver (if shipment OK) Level 12

[Signature]

Production/Admin: 12/15/26
 Date
 Received/Costing
 Initial

Location

Page 1 of 1

All amounts are calculated in domestic currency.

| | |
|-----------------|--|
| Book Amt | |
| \$618.80 | |
| \$159.28 | |
| \$170.87 | |
| \$246.14 | |
| 748,000 | |
| 0,000 | |
| 0,000 | |
| \$1,195.0 | |
| 0,000 | |



Marmon/Keystone Canada Inc.

ACIERS SPÉCIALISÉS

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PACKING SLIP

PAGE...: 1
Order : 1124020
Date...: 10/24/2012

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA

TST OVERLAND #222212

F.O.B.

BOUCHERVILLE

SALESPERSON

C. Gee

YOUR ORDER NO.

PO18224

| | Ordered | Description | Number Pieces | Quantity Shipped | Back Ordered |
|----|---------|--|------------------|---------------------|-----------------|
| 01 | 312 /FT | Fax all papers to Linda Lacelle 613-632-1053 ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T0.375W.058 HT#.....: F00013715 Total... rev:01/11 GD | 26 26 | 312/FT 312/FT | |
| 02 | 36 /FT | ALUMINUM SMLS TUBE ATS .500 .120 D6061 Tariff Number: 7608.20.00.00 Cust. part#.: M6061T6T0.500W.125 HT#.....: F00008530 Total... | 3 3 | 36/FT 36/FT | |
| 03 | 200 /FT | STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .035 A213 STS .500 .035 304L Tariff Number: 7304.41.19.90 Cust. part#.: M304TR0.500W.035 HT#.....: YT0674 Total... | 10 10 | 200/FT 200/FT | |
| 04 | 200 /FT | STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .049 A213 STS .500 .049 304L Tariff Number: 7304.41.19.90 Cust. part#.: M304TR0.500W.049 HT#.....: 11B631 Total... | 10 10 | 200/FT 200/FT | |

Signature
10/24/2012

No. of Bcls/Pieces 1 / 0

Total Weight.....: 109

Customers.: _____



A Marmon Distribution Services/Berkshire Hathaway Company

KAISER ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

| | | | | | |
|---|--------------------------|--|--|--|----------------------|
| CUSTOMER PO NUMBER: 61-17107-1 | | CUSTOMER PART NUMBER: AT/.375.058/734 | | PRODUCT DESCRIPTION: Seamless Tube/Pipe | |
| KAISER ORDER NUMBER: 606551 | LINE ITEM: 001 | SHIP DATE: 01/04/2012 | KAISER LOT NUMBER: F00013715 | ALLOY: 6061 | TEMPER: T6 |
| WEIGHT SHIPPED: 629.000 LB | QUANTITY: 776.000 PCS | B/L NUMBER: 602261 | DIAM/DAF/THKNS: | WIDTH: | LENGTH: 12.000 FT |
| SHIP TO: MARMON/KEYSTONE CORP 32944 US HIGHWAY 6 SPRING VALLEY, IL 61362 USA | | | SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA | | |

Actual Physical Properties


| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CONDUCT. | BEND |
|-------------|-------|---------|-----------|-----------|--------|----------|----------|------|
| * F00013715 | .0001 | 1 | 46.3 | 42.9 | 12.0 | N/A | N/A | N/A |
| * F00013715 | .0002 | 1 | 46.2 | 42.9 | 12.3 | N/A | N/A | N/A |
| * F00013715 | .0003 | 1 | 45.8 | 43.0 | 15.0 | N/A | N/A | N/A |

Chemical Composition (wt%), Aluminum Remainder

| LIMITS | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Pb | Bi | Zr | Ea | Tot |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA | NA | NA | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA | NA | NA | 0.00 | 0.00 |
| D69881 | .58 | .26 | .22 | .06 | .98 | .07 | .09 | .02 | .00 | .00 | .00 | .01 | .02 |
| D69877 | .57 | .31 | .25 | .05 | .96 | .07 | .06 | .02 | .00 | .00 | .00 | .01 | .02 |

Applicable Requirements:

Description: MADE IN USA
OD: 0.375"; Wall: 0.058"; Round @
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATIONS HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, and WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014
No Weld Repair. Mercury Free.



Miscellaneous Notes

MANUFACTURED IN USA (CHANDLER,AZ) MELTED IN USA

DAS
14
2-89 12/10/29

Plant Serial: 00022757
Kaiser Order Number: 606551
Line Item: 001

KAISER

ALUMINUM

FABRICATED PRODUCTS

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
5205 KAISER DRIVE
KALAMAZOO, MI 49048

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Alex Yeh, Quality & Technology Manager

Yeh

Q. C. REVIEWED

10/12/2010 From: MARMON/KEYSTONE CORPORATION
M/K OR: 6131477
C.P.O.:
C PART:

To:

OR. REF:
SLSPRS:

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

| | | | | | | |
|--|--------------------------|--------------------------------------|--|--|----------------------|--|
| CUSTOMER PO NUMBER: 60-11412-1 | | CUSTOMER PART NUMBER: AT/5.12/734 | | PRODUCT DESCRIPTION: Seamless Tube/Pipe | | |
| KAISER ORDER NUMBER: 205641 | LINE ITEM: 001 | SHIP DATE: 07/09/2010 | KAISER LOT NUMBER: F00008530 | ALLOY: 6061 | TEMPER: T6 | |
| WEIGHT SHIPPED: 595.000 LB | QUANTITY: 294.000 PCS | B/L NUMBER: 205108 | DIAM/DAF/THKNS: | WIDTH: | LENGTH: 12.000 FT | |
| SHIP TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA | | | SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA | | | |

Actual Physical Properties

| REFERENCE | DASH# | SAMPLE# | UTS (KSI) | YTS (KSI) | ELONG% | HARDNESS | CON%IACS | BEND |
|-----------|-------|---------|-----------|-----------|--------|----------|----------|------|
| F00008530 | 0001 | 1 | 46.3 | 42.7 | 14.0 | N/A | N/A | N/A |

Chemical Composition (wt%), Aluminum Remainder

| LIMITS | Si | Fe | Cu | Mn | Mg | Cr | Zn | Ti | Pb | Bi | Zr | Ea | Tot |
|---------|------|------|------|------|------|------|------|------|-----|-----|-----|------|------|
| Maximum | 0.80 | 0.70 | 0.40 | 0.15 | 1.20 | 0.35 | 0.25 | 0.15 | NA | NA | NA | 0.05 | 0.15 |
| Minimum | 0.40 | 0.00 | 0.15 | 0.00 | 0.80 | 0.04 | 0.00 | 0.00 | NA | NA | NA | 0.00 | 0.00 |
| D68104 | .63 | .35 | .23 | .06 | .99 | .09 | .07 | .02 | .00 | .00 | .00 | .00 | .02 |

DAS
14
2-89 12/10/29

Q. C. REVIEWED

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager

Plant Serial: 00007533

Kaiser Order Number: 205641

Line Item: 001

Page 1 of 2

Nathaniel Stevens

ATS .500 .120 D6061 T6

**KAISER
ALUMINUM
FABRICATED PRODUCTS**

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

Best in Class

CERTIFIED TEST REPORT

<http://Certs.KaiserAluminum.com>

Applicable Requirements:

Description: MADE IN USA

OD: 0.500"; Wall: 0.120"; Round @

AMS-4082P ASTM-B210-04 WW-T-700/6F

WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.

THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR

CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.

COMPLIES TO DIN EN 10204 JAN 2005

COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

No Weld Repair. Mercury Free.

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

DAS
14
2-89 12/10/29

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager


Nathaniel Stevens

Plant Serial: 00007533

Kaiser Order Number: 205641

Page 2 of 2

Q. C. REVIEWED Item: 001



CRYSTAL PALACE

SHANGHAI CRYSTAL PALACE PIPE CO., LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE: 201302

MILL TEST CERTIFICATE

ISO 9001:2000 PED Material Certificate (No.: QAC0021058/A)

DATE OF ISSUE: 2010/6/24

CUSTOMER: MARMON/KEYSTONE CANADA INC

P.O. NO.: BN6680

CERTIFICATE NO.: 2010-3-5-B-5

COMMODITY: STAINLESS STEEL SEAMLESS TUBING

ORDER NO.: 2010-03-005-B

CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END / OD POLISHED 320 GRIT.

GRADE: ASTM A213-07 / ASME SA213-07 TP304/TP304L

CHEMICAL CONTENTS (WT%)

| ELEMENTS | C | Mn | P | S | Si | Ni | Cr |
|-----------------|---------|--------|---------|---------|--------|----------|-----------|
| SPECIFICATION | ≤ 0.035 | ≤ 2.00 | ≤ 0.040 | ≤ 0.030 | ≤ 0.75 | 8.0-12.0 | 18.0-20.0 |
| RESULTS (LADLE) | 0.022 | 0.82 | 0.039 | 0.004 | 0.46 | 8.06 | 18.12 |

PHYSICAL PROPERTIES

| Dimensions | | | Bundle No. | Pieces | Weight (kg) | 0.2%YS (Mpa) | | | EL (%) | FLARING TEST | FLATTENING TEST | HARDNESS HRB | EDDY CURRENT TEST TO E426 (100%) |
|------------|------------|---------------|------------|--------|-------------|--------------|-------|------|--------|--------------|-----------------|--------------|----------------------------------|
| O.D (inch) | W.T (inch) | Length (feet) | | | | ≥ 205 | ≥ 515 | ≥ 35 | | | | | |
| 0.500 | 0.035 | 20 | P10-5-66 | 500 | 797 | 340 | 685 | 45.5 | OK | OK | OK | 76 | OK (DRILLED HOLE) |

REMARKS:

AS PER ASTM A213/ASME SA213-07
WALL THICKNESS TOLERANCE AS PER ASTM A269-07
IN COMPLIANCE TO NACE MR0175-2003
IC TEST TO ASTM A262 PRACTICE E
SOLUTION HEAT TREATMENT: 1050°C X 1.5m/min
NO WELD REPAIR WAS PERFORMED
FREE FROM MERCURY CONTAMINATION
COUNTRY OF ORIGIN: CHINA
MILL TEST CERTIFICATE TO EN 10204/3.1
INVOICE NO: YK-10-06-62

1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT
2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.

SHANGHAI CRYSTAL PALACE PIPE CO., LTD

QC REVIEWED

AUG 11 2010

MANAGER OF QUALITY ASSURANCE DEPARTMENT

12/10/29



MILL INSPECTION CERTIFICATE

CHANGSHU WALSIN SPECIALTY STEEL CO., LTD.
EN 10204 3.1



CUSTOMER: MARMONKEYSTONE CANADA INC.

2012/4/24

HEAT NO.: 11B631

CONDITION: COLD FINISHED, ANNEALED, PICKLED, PLAIN END

CERTIFICATE NO.: 201205048024034

COMMODITY: STAINLESS STEEL SEAMLESS TUBE

GRADE: TP 304L

CHEMICAL COMPOSITION (WT%)

| ELEMENTS | C | SI | Mn | P | S | NI | Cr | Mo | N | Cu | TI | Cr+Ti | Co | Al | V | B |
|-------------------|-----|-------|-------|-------|-------|-------|--------|----|---|----|----|-------|----|----|---|---|
| SPECIFICATION | max | 0.035 | 1.000 | 0.045 | 0.030 | 8.000 | 18.000 | | | | | | | | | |
| RESULTS (LADLE) | | 0.022 | 0.370 | 0.033 | 0.001 | 8.110 | 18.140 | | | | | | | | | |
| RESULTS (PRODUCT) | | 0.016 | 0.390 | 0.034 | 0.001 | 8.029 | 18.070 | | | | | | | | | |

| SIZE (mm) | PACKAGE NO. | PIECES | WEIGHT | TS | YS | EL | HARDNESS | FLATTENING TEST | FLARING TEST | I.C. TEST | GRAIN SIZE | Loi No. | HYDROSTATIC TEST | EDDY CURRENT TEST | ULTRASONIC TEST |
|---------------|-------------|--------|------------|---------|---------|--------|----------|-----------------|--------------|-----------|---------------|---------|------------------|-------------------|-----------------|
| OD(*) * WT(*) | | | FT (kg) | MPa | MPa | (50um) | HRB | | | | | | | | |
| 0.500*0.049 | 40-1# | 275 | 5500 * 614 | 585/590 | 280/285 | 57/57 | 77.5/78 | GOOD | GOOD | GOOD | 201203-01:039 | | / | GOOD | GOOD |
| TOTAL: | | 275 | 5500 | 614 | | | | | | | | | | | |

REMARK: AS PER ASTM A213-11, ASME SA213-10/ASTM A269-10
ASTM A1016
NACE MR 0175
PO M2683
LENGTH 20FT
IC TEST PER ASTM A262, PRACTICE E
MATERIAL FREE FROM MERCURY CONTAMINATION
NO REPAIR BY WELDING
MADE IN CHINA HRB MAX 80 400# POLISHED

1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN BEEN MADE IN ACCORDANCE WITH THE RESULTS OF THE CONTRACT, AND CONFORM TO THE SPECIFICATION ABOVE.

2. THE CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.

QUALITY MANAGER

Sum Bin

ADDRESS: 56# RENMIN ROAD, HAIVU TOWN, CHANGSHU CITY, JIANGSU PROVINCE, CHINA 215519 TEL: +86-512-52566260 FAX: +86-512-52568027
WJCS-QP-T24-06

G.C. Reviewed
2012/10/29

12/10/29

DART
aerospaceDart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053**PURCHASE ORDER**Purchase Order ID **PO18224**

Purchase Order Date 10/23/12

PO Print Date 10/23/12

Page Number 1 of 2

Order From :

VC-MAR001

MARON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

123449

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA**FAXED**
10/23/12

| Line Nbr | Reference Revision ID Vendor Part Number | Description/ Mfg ID | Req Date/ Taxable | Req Qty/ Unit of Measure | Ship Method | Unit Price | Extended Price |
|----------|--|---------------------------------|---|-----------------------------|-------------|------------|-------------------|
| 1 | M6061T6T0.375W.058 ay | 6061-T6 RD Tube .375 x.058W | 10/26/12 Yes | 312.00 f | TST ground | \$1.9500 | \$608.40 |
| | | Special Inst: | MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 | | | | |
| 2 | M6061T6T0.500W.125 a3 | 6061-T6 RD Tube .500 x .125W | 10/26/12 Yes | 36.00 f | TST ground | \$4.3500 | \$156.60 |
| | | Special Inst: | MATERIAL: 6061-T6 OR 6061-T62 TUBING PER WW-T-700/6 OR AMS 4080 OR AMS 4082 OR QQ-A-200/8 OR QQ-A-225/8 | | | | |
| 3 | M304TR0.500W.035 c17 | 304 RD Tube .500 x .035W | 10/26/12 Yes | 200.00 f | TST ground | \$0.8400 | \$168.00 |

No substitution or deviation without
consent.Certificate of Conformity or Material
Certification required - YES NO

Change Nbr: 1

Change Date: 10/23/12



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO18224**

Purchase Order Date 10/23/12

PO Print Date 10/23/12

Page Number 2 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS
ROUND TUBING
AS PER A213 OR ASME SA213 OR ASTM
A269

4 M304TR0.500W.049

304 RD Tube .500 x .049W

10/26/12

Yes

200.00

f

TST ground

\$1.2100

\$242.00

Special Inst:

MATERIAL: AISI 304/316 SS SEAMLESS
ROUND TUBING
AS PER A213 OR ASME SA213 OR ASTM
A269

PO Total:

\$1,175.00

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 10/23/12

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required **YES** NO